

ATLANTA EMA PERFORMANCE MEASURES

OUTPATIENT AMBULATORY HEALTH SERVICES

Performance Measure/Indicator	Description	Numerator	Denominator	Data Exclusions	CAREWare Code
HAB CORE PERFORMANCE MEASURES					
Medical Visit Frequency <i>HHS Retention in Care (24 months)*</i>	Percentage of patients will have at least one medical visit in a 6-month period of the 24-month measurement period with a minimum of 60 days between the first medical visit in the 6 month period and the last medical visit in the subsequent 6-month period.	Number of patients in the denominator who had at least one medical visit in each 6-month period of the 24-month measurement period with a minimum of 60 days between first medical visit in the prior 6-month period and the last medical visit in the subsequent 6-month period	Number of patients, regardless of age, with a diagnosis of HIV with at least one medical visit in the first 6 months of the 24-month measurement period	None.	Core 03
Prescription of HIV ARV Therapy	Percentage of patients (with HIV) will be prescribed HIV antiretroviral therapy during the measurement year	Number of patients from the denominator prescribed HIV antiretroviral therapy during the measurement year	Number of patients, regardless of age, with a diagnosis of HIV with at least one medical visit in the measurement year	None.	Core02
HIV Viral Load Suppression	Percentage of patients who have a HIV viral load less than 200 copies/ml at last HIV Viral load test during the measurement year.	Number of patients in the denominator with a HIV viral load less than 200 copies/mL at last HIV viral load test during the measurement year	Number of patients, regardless of age, with a diagnosis of HIV with at least one medical visit in the measurement year	None.	Core01
Gap in HIV Medical Visits	Percentage of patients did not have a medical visit in the last 6 months of the measurement year.	Number of patients in the denominator who did not have a medical visit in the last 6 months of the measurement year	Number of patients, regardless of age, with a diagnosis of HIV who had at least one medical visit in the first 6 months of the measurement year	Patients who died at any time during the measurement year	Core 04

ATLANTA EMA PERFORMANCE MEASURES

OUTPATIENT AMBULATORY HEALTH SERVICES

Performance Measure/Indicator	Description	Numerator	Denominator	Data Exclusions	CAREWare Code
HAB ADOLESCENT/ADULT PERFORMANCE MEASURES					
Cervical Cancer Screening	Percentage of female patients 21 and older (except those who have had a hysterectomy for non-dysplasia/non-malignant indications) who had a Pap test within last three years	Number of patients in the denominator who were screened for cervical cancer in the last three years	Number of female patients with a diagnosis of HIV who: ●Had at least one medical visit with provider with prescribing privileges and ●Were > 21 years old in the measurement year	Patients who had a hysterectomy for non-dysplasia/non-malignant indications	HAB 07a
Chlamydia Screening	Percentage of patients will receive a Chlamydia screening at least once in the measurement period.	Number of patients with a diagnosis of HIV who had a test for chlamydia	Number of patients with a diagnosis of HIV who: ● Were either: a) newly enrolled in care; b) sexually active; or c) had a STI within the last 12 months, and ● Had a medical visit with a provider with prescribing privileges at least once in the measurement year	Patients who were < 18 years old ³ and denied a history of sexual activity	HAB 15
Gonorrhea Screening	Percentage of patients ¹ with a diagnosis of HIV at risk for sexually transmitted infections (STIs) who had a test for gonorrhea within the measurement year	Number of patients with a diagnosis of HIV who had a test for gonorrhea	Number of patients with a diagnosis of HIV who: ● Were either: a) newly enrolled in care; b) sexually active; or c) had a STI within the last 12 months; and ● Had a medical visit with a provider with prescribing privileges at least once in the measurement year	Patients who were < 18 years old ³ and denied a history of sexual activity	HAB16
Hep B Screening	Percentage of patients, regardless of age, for whom Hepatitis B screening ¹ was performed at least once since the diagnosis of HIV/AIDS or for whom there is documented infection ² or immunity ³	Number of patients for whom Hepatitis B screening was performed at least once since the diagnosis of HIV or for whom there is documented infection ² or immunity ³	Number of patients, regardless of age, with a diagnosis of HIV and who had at least two medical visits during the measurement year, with at least 60 days in between each visit	None.	HAB17
Hep C Screening	Percentage of patients for whom Hepatitis C (HCV) screening was performed at least once since the diagnosis of HIV	Number of patients with a diagnosis of HIV who have documented HCV status in chart ¹	Number of patients with a diagnosis of HIV who had a medical visit with a provider with prescribing privileges at least once in the measurement year	None.	HAB09

ATLANTA EMA PERFORMANCE MEASURES

OUTPATIENT AMBULATORY HEALTH SERVICES

Performance Measure/Indicator	Description	Numerator	Denominator	Data Exclusions	CAREWare Code
HIV Risk Counseling	Percentage of patients with a diagnosis of HIV who received HIV risk counseling ¹ in the measurement year	Number of patients with a diagnosis of HIV, as part of their primary care, who received HIV risk counseling	Number of patients with a diagnosis of HIV who had a medical visit with a provider with prescribing privileges at least once in the measurement year	None.	HAB10
Oral Exam	Percentage of clients received an oral health exam by a dentist at least once during the measurement year	Number of patients with a diagnosis of HIV who had an oral exam by a dentist during the measurement year, based on patient self-report or other documentation	Number of patients with a diagnosis of HIV who had a medical visit with a provider with prescribing privileges at least once in the measurement year	None.	HAB12
Syphilis Screening	Percentage of adult patients with a diagnosis of HIV who had a test for syphilis performed within the measurement year	Number of patients with a diagnosis of HIV who had a serologic test for syphilis performed at least once during the measurement year	Number of patients with a diagnosis of HIV who: <ul style="list-style-type: none"> • Were >18 years old in the measurement year¹ or had a history of sexual activity < 18 years, and • Had a medical visit with a provider with prescribing privileges at least once in the measurement year 	1. Patients who were < 18 years old and denied a history of sexual activity	HAB13
Substance Use Screening	Percentage of new patients with a diagnosis of HIV who have been screened for substance use (alcohol & drugs) in the measurement year	Number of new patients with a diagnosis of HIV who were screened for substance use within the measurement year	Number of patients with a diagnosis of HIV who: <ul style="list-style-type: none"> • Were new during the measurement year, and • Had a medical visit with a medical provider with prescribing privileges at least once in the measurement year 	None.	HAB23
ARCHIVED HAB PERFORMANCE MEASURES					
Medical Visits	Percentage of clients with HIV infection who had two or more medical visits in an HIV care setting in the measurement year	Number of HIV-infected clients who had a medical visit with a provider with prescribing privileges , i.e. MD, PA, NP, in an HIV care setting two or more times at least 3 months apart during the measurement year	Number of HIV-infected clients who had a medical visit with a provider with prescribing privileges at least once in the measurement year	Patients newly enrolled in care during last six months of the year	HAB01

ATLANTA EMA PERFORMANCE MEASURES

OUTPATIENT AMBULATORY HEALTH SERVICES

Performance Measure/Indicator	Description	Numerator	Denominator	Data Exclusions	CAREWare Code
Prescription of PCP Prophylaxis	Percentage of patients were prescribed Pneumocystis jiroveci pneumonia (PCP) prophylaxis medications within 3 months of CD4 count below 200 cells/mm3	Number of HIV-infected clients with CD4 T-cell counts below 200 cells/mm3 who were prescribed PCP prophylaxis	Number of HIV-infected clients who: had a medical visit with a provider with prescribing privileges1 , i.e. MD, PA, NP at least once in the measurement year, and had a CD4 T-cell count below 200 cells/mm3	Patients with CD4 T-cell counts below 200 cells/mm3 repeated within 3 months rose above 200 cells/mm3. Patients newly enrolled in care during last three months of the measurement year	HAB03
TB Screening	Percentage of clients with HIV infection who received testing with results documented for latent tuberculosis infection (LTBI) since HIV diagnosis	Number of clients who received documented testing for LTBI with any approved test (tuberculin skin test [TST] or interferon gamma release assay [IGRA]) since HIV diagnosis	Number of HIV-infected clients who: do not have a history of previous documented culture-positive TB disease or previous documented positive TST or IGRA ; and had a medical visit with a provider with prescribing privileges at least once in the measurement year.	None.	HAB14
Mental Health Screening	Percentage of new clients with HIV infection who have had a mental health screening	Number of new HIV-infected clients who received a mental health screening	Number of HIV-infected clients who: were new during the measurement year, and had a medical visit with a provider with prescribing privileges at least once in the measurement year	None	HAB21

Sources
[HAB CORE PERFORMANCE MEASURES](#)
[HAB ADOLESCENT/ADULT PERFORMANCE MEASURES](#)
[HAB ALL AGES PERFORMANCE MEASURES](#)
[HAB ARCHIVED ADOLESCENT/ADULT PERFORMANCE MEASURES](#)