

Stages of the HIV Care Continuum	Goal	Outcome		Service Category
I. Diagnosed	Increase percentage who are aware of their HIV/AIDS status	Percentage of persons with a diagnosis of Stage 3 HIV infection (AIDS) within 3 months of diagnosis of HIV infection in the measurement year Baseline: Numerator/Dominator, % Atlanta Part A: 195/ 998 – <b>20%</b>		Outpatient Ambulatory Health Services (OAHS), OAHS-Minority AIDS Initiative (MAI),and Medical Case Management,
		Target: Numerator/Dominator, % Atlanta Part A: 189/1000 – <b>19%</b>		
II. Linked to Care	Increase percentage of clients who attend a routine medical care visit within 3 months of HIV diagnosis	Percentage of people diagnosed with HIV in a given calendar year that had one medical visit within 3 months after diagnosis. Baseline: Numerator/Dominator, % <sup>1</sup> Atlanta Part A: 734/ 998 – <b>74%</b>		OAHS, OAHS-MAI, Oral Health, Medical Nutrition Therapy, Medical Case Management, Mental Health, Substance Abuse-Outpatient, Non-medical Case Management, Referral for Health Care and Support Services, Psychosocial Support, and Medical Transportation
		Target: Numerator/Dominator, % Atlanta Part A: 760/1000 – <b>76%</b>		
III. Retained in Care	Increase percentage of clients retained in care	Percentage of diagnosed individuals who had at least one HIV medical care visit in each 6 month period of the 24 month measurement period, with a minimum of 60 days between the first medical visit in the prior 6 month period and the last medical visit in the subsequent 6 month period Baseline: Numerator/Dominator, % Atlanta Part A: 6618/10603 – <b>62%</b>		OAHS, OAHS-MAI, Medical Nutrition Therapy, Medical Case Management, Mental Health, Substance Abuse-Outpatient, Non-medical Case Management, Referral for Health Care and Support Services, Food-Bank/Home Delivered Meals, Psychosocial Support, Medical Transportation, Other Professional Services, Linguistic, and Childcare
		Target: Numerator/Dominator, % Atlanta Part A: 6781/10764 – <b>63%</b>		
IV. Prescribed ART	Increase percentage of clients with access to prescribed HIV/AIDS medications consistent with PHS treatment guidelines	Percentage of patients, regardless of age, with a diagnosis of HIV prescribed antiretroviral therapy for the treatment of HIV infection in the measurement year. Baseline: Numerator/Dominator, % Atlanta Part A: 11924/13495 – <b>88%</b>		OAHS, OAHS-MAI, Medical Case Management, Substance Abuse-Outpatient, and Medical Transportation
		Target: Numerator/Dominator, % Atlanta Part A: 12,212/13,721 – <b>89%</b>		
V. Virally Suppressed	Increase the number of clients with a viral load of <200 copies/mL at last test in the 12-month measurement period	Percentage of patients, regardless of age, with a diagnosis of HIV with a HIV viral load <200 copies/mL at last HIV viral load test in the measurement year. Baseline: Numerator/Dominator, % Atlanta Part A: 10284/13495 – <b>76%</b>		OAHS, OAHS-MAI, and Medical Case Management
		Target: Numerator/Dominator, % Atlanta Part A: 10,565/13721 – <b>77%</b>		

<sup>1</sup> From CAREWare: Atlanta Part A Care Continuum, 2016  
Atlanta EMA FY2018 Ryan White Part A Application Attachment 7 Fulton County Government H89HA00007