

| Reporting Template A - Unmet Need | | | | | |
|--|--|--------|------------------------|---|-----------------|
| Jurisdiction Name: Atlanta EMA | | | Approach? | | Enhanced |
| | | | Linked Databases Used? | | No |
| Definition/Description | | Number | Percent | Data Source | Year(s) of Data |
| A | B | C | D | E | F |
| HIV SURVEILLANCE DATA | | | | | |
| Late Diagnosed | | | | | |
| 1 | Late diagnoses: Number of people with late diagnosed HIV in the most recent calendar year in the jurisdiction based on residence at time of diagnosis. Late diagnosed HIV is based on the first CD4 test result (<200 cells/mL or a CD4 percentage of total lymphocytes of <14) or documentation of an AIDS-defining condition ≤3 months after a diagnosis of HIV infection | 306 | 18.4% | HIV Surveillance data | 2019 |
| 2 | New diagnoses: Number of people in the jurisdiction with HIV diagnosed in the most recent calendar year based on residence at time of diagnosis | 1,663 | | | |
| Unmet Need | | | | | |
| 3 | Unmet need: Number of people living with diagnosed HIV infection in the jurisdiction based on most recent known address without any CD4 or VL test in the most recent calendar year | 5,821 | 16.7% | HIV Surveillance data; if linked databases are used please specify ¹ | 2019 |
| 4 | Population size: Number of people living with diagnosed HIV infection in the jurisdiction based on most recent known address who had an HIV diagnosis or any other HIV-related lab data (e.g., CD4, VL, genotype, or HIV test even if already diagnosed) reported to the HIV surveillance program during the most recent five calendar year period | 34,773 | | HIV Surveillance data | 2015 -2019 |
| In Care, Not Virally Suppressed | | | | | |
| 5 | Not virally suppressed: Number of people living with diagnosed HIV infection in the jurisdiction who are in care and whose most recent viral load test result was ≥200 copies/mL in the most recent calendar year | 4,406 | 15.2% | HIV Surveillance data; if linked databases are used please specify ¹ | 2019 |
| RYAN WHITE HIV/AIDS PROGRAM (RWHAP) DATA | | | | | |
| Unmet Need | | | | | |
| 6 | Unmet need: Number of RWHAP clients in the jurisdiction without any CD4, VL test or OAHS visit ³ in the most recent calendar year | 1,416 | 7.8% | RWHAP Database; if linked databases are used please specify ² | 2019 |
| 7 | RWHAP clients: Number of RWHAP clients in the jurisdiction who received any RWHAP or RWHAP-related funded service in the most recent calendar year | 18,094 | | RWHAP data | |
| In Care, Not Virally Suppressed | | | | | |
| 8 | Not virally suppressed: Number of RWHAP clients in the jurisdiction who are in care whose most recent viral load test result was ≥200 copies/mL in the most recent calendar year | 2,794 | 16.8% | RWHAP Database; if linked databases are used please specify ² | 2019 |
| ¹ Linked database jurisdictions may also use data from RWHAP or other databases as long as data are from a clinical source. Linked databases may only be used for care pattern definitions and in care, viral suppression ² Linked database jurisdictions may also use data from HIV Surveillance or other databases as long as clinical data from other databases are from a clinical source. Linked databases may only be used for care pattern definitions and in care, viral suppression ³ Jurisdictions may choose to use other services to reflect HIV primary medical care. Any variation from the definitions should be clearly stated in documentation that accompanies the estimates. | | | | | |
| Items in green reflect cells linked from other datasheets | | | | | |

Required Reporting Template B - Target Populations

| Reporting Template B - Priority Populations | | | | | | | | | | | | |
|---|--|---|------------------|------------------|--------------|-----------------------------------|-----------------------------|-----------------------------------|-----------------------------------|---------------------------|-----------------------------------|-----------------------------------|
| Jurisdiction Name: Atlanta EMA | | | | | | | | | | Approach? Enhanced | | |
| A | Category | Totals | Numerical Inputs | | | | Auto-Calculated Percentages | | | | | |
| | | # of People Living with Diagnosed HIV infection | # New Diagnoses | # Late Diagnosed | # Unmet Need | # In Care, Not Virally Suppressed | Within Categories | | | Across Categories | | |
| | | | | | | | % Late Diagnosed | % Unmet Need | % In Care, Not Virally Suppressed | % Late Diagnosed | % Unmet Need | % In Care, Not Virally Suppressed |
| B | C | D | E | F | G | H | I | J | K | L | M | |
| HIV SURVEILLANCE DATA | | | | | | | | | | | | |
| 1 | Total | 34,773 | 1,663 | 306 | 5,821 | 4,406 | 18.4% | 16.7% | 15.2% | 100.0% | 100.0% | 100.0% |
| 2 | PRIORITY POPULATIONS (Determined by Jurisdiction) | | | | | | | | | | | |
| | Black Males 25-34 years old | 5,655 | 965 | 183 | 1,069 | 1,131 | 19.0% | 18.9% | 24.7% | 59.8% | 18.4% | 25.7% |
| | Black Females 25-34 years old | 656 | 226 | 46 | 148 | 138 | 20.4% | 22.6% | 27.2% | 15.0% | 2.5% | 3.1% |
| | Transgender 25-34 years old | 229 | 37 | 6 | 57 | 0 | 16.2% | 24.9% | 27.9% | 2.0% | 1.0% | 1.1% |
| RYAN WHITE HIV/AIDS PROGRAM (RWHAP) DATA | | | | | | | | | | | | |
| A | Category | Totals | Numerical Inputs | | | | Auto-Calculated Percentages | | | | | |
| | | # of RWHAP Clients | | | # Unmet Need | # In Care, Not Virally Suppressed | Within Categories | | | Across Categories | | |
| | | | | | | | % Unmet Need | % In Care, Not Virally Suppressed | | % Unmet Need | % In Care, Not Virally Suppressed | |
| B | C | | | F | G | | I | J | | L | M | |
| 5 | Total | 18,094 | | | 1,416 | 2,794 | | 7.8% | 16.8% | | 100.0% | 100.0% |
| 6 | PRIORITY POPULATIONS (Determined by Jurisdiction) | | | | | | | | | | | |
| | Black Males 25-34 years old | 3,637 | | | 379 | 826 | | 10.4% | 25.4% | | 26.8% | 29.6% |
| | Black Females 25-34 years old | 422 | | | 64 | 83 | | 15.2% | 23.2% | | 4.5% | 3.0% |
| | Transgender 25-34 years old | 137 | | | 36 | 44 | | 26.3% | 43.6% | | 2.5% | 1.6% |

| Calculation Table 2A: Subpopulation Analyses – HIV Surveillance Data | | | | | | | | | | | | | |
|--|--|---|--------------------|------------------|-----------|--------------|----------------------------------|-----------------------------|--------------|--------------------------------|-------------------|--------------|--------------------------------|
| Jurisdiction Name: Atlanta EMA | | | | | | | | | | | | | |
| A | B | Totals | Numerical Inputs | | | | | Auto-Calculated Percentages | | | | | |
| | | # of People Living with Diagnosed HIV Infection | # of New Diagnoses | # Late Diagnoses | # In Care | # Unmet Need | # In Care Not Virally Suppressed | Within Categories | | | Across Categories | | |
| | | | | | | | | % Late Diagnosed | % Unmet Need | % In Care Not Virally Suppress | % Late Diagnosed | % Unmet Need | % In Care Not Virally Suppress |
| C | D | E | F | G | H | I | J | K | L | M | N | | |
| 1 | Total | 34,773 | 1,663 | 306 | 28,952 | 5,821 | 4,406 | 18.4% | 16.7% | 15.2% | 100.0% | 100.0% | 100.0% |
| 2 | CURRENT GENDER IDENTITY | | | | | | | | | | | | |
| | Male | 27,629 | 1,340 | 242 | 22,945 | 4,684 | 3,428 | 18.1% | 17.0% | 14.9% | 79.1% | 80.5% | 77.8% |
| | Female | 6,651 | 286 | 58 | 5,612 | 1,039 | 893 | 20.3% | 15.6% | 15.9% | 19.0% | 17.8% | 20.3% |
| | Transgender | 487 | 37 | 6 | 392 | 95 | 85 | 16.2% | 19.5% | 21.7% | 2.0% | 1.6% | 1.9% |
| 3 | RACE/ETHNICITY | | | | | | | | | | | | |
| | American Indian/Alaska Native Non-Hispanic | 12 | <5 | 0 | 11 | <5 | 0 | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Asian Non-Hispanic | 199 | 15 | <5 | 173 | 26 | 12 | 0.0% | 13.1% | 6.9% | 0.0% | 0.4% | 0.3% |
| | Black/African American Non-Hispanic | 24,196 | 1,219 | 234 | 19,875 | 4,321 | 3,534 | 19.2% | 17.9% | 17.8% | 76.5% | 74.2% | 80.2% |
| | Hispanic/Latino | 2,572 | 182 | 32 | 2,187 | 385 | 247 | 17.6% | 15.0% | 11.3% | 10.5% | 6.6% | 5.6% |
| | Native Hawaiian/Pacific Islander Non-Hispanic | 10 | <5 | 0 | 7 | <5 | <5 | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | White Non-Hispanic | 5,747 | 195 | 28 | 4,994 | 753 | 374 | 14.4% | 13.1% | 7.5% | 9.2% | 12.9% | 8.5% |
| | Multiple races Non-Hispanic | 1,799 | 36 | 8 | 1,580 | 219 | 226 | 22.2% | 12.2% | 14.3% | 2.6% | 3.8% | 5.1% |
| | Unknown | 238 | 14 | <5 | 125 | 113 | 12 | 0.0% | 47.5% | 9.6% | 0.0% | 1.9% | 0.3% |
| 4 | AGE | | | | | | | | | | | | |
| | <13 ⁴ | | | | | | | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | 13-24 | 1,497 | 423 | 34 | 1,231 | 266 | 331 | 8.0% | 17.8% | 26.9% | 11.1% | 4.6% | 7.5% |
| | 25-34 | 8,187 | 665 | 117 | 6,635 | 1,552 | 1,545 | 17.6% | 19.0% | 23.3% | 38.2% | 26.7% | 35.1% |
| | 35-44 | 7,670 | 288 | 70 | 6,348 | 1,322 | 1,111 | 24.3% | 17.2% | 17.5% | 22.9% | 22.7% | 25.2% |
| | 45-54 | 8,543 | 167 | 52 | 7,284 | 1,259 | 815 | 31.1% | 14.7% | 11.2% | 17.0% | 21.6% | 18.5% |
| | 55-64 | 6,718 | 102 | 26 | 5,662 | 1,056 | 478 | 25.5% | 15.7% | 8.4% | 8.5% | 18.1% | 10.8% |
| | 65+ | 2,158 | 18 | 7 | 1,792 | 366 | 126 | 38.9% | 17.0% | 7.0% | 2.3% | 6.3% | 2.9% |
| 5 | TRANSMISSION CATEGORY/HIV RISK FACTOR | | | | | | | | | | | | |
| | <i>Male:</i> | | | | | | | | | | | | |
| | Male to male sexual contact | 20,110 | 986 | 163 | 16,926 | 3,184 | 2,599 | 16.5% | 15.8% | 15.4% | 53.3% | 54.7% | 59.0% |
| | Injection drug use (IDU) | 570 | 17 | <5 | 441 | 129 | 79 | 0.0% | 22.6% | 17.9% | 0.0% | 2.2% | 1.8% |
| | Male to male sexual contact & IDU | 1,055 | 25 | <5 | 904 | 151 | 170 | 0.0% | 14.3% | 18.8% | 0.0% | 2.6% | 3.9% |
| | Heterosexual contact | 1,135 | 97 | 38 | 905 | 230 | 137 | 39.2% | 20.3% | 15.1% | 12.4% | 4.0% | 3.1% |
| | Other/No Identified Risk | 4,759 | 215 | 35 | 3,769 | 990 | 443 | 16.3% | 20.8% | 11.8% | 11.4% | 17.0% | 10.1% |
| | <i>Female:</i> | | | | | | | | | | | | |
| | Injection drug use | 460 | 8 | <5 | 389 | 71 | 70 | 0.0% | 15.4% | 18.0% | 0.0% | 1.2% | 1.6% |
| | Heterosexual contact | 3,941 | 144 | 33 | 3,447 | 494 | 545 | 22.9% | 12.5% | 15.8% | 10.8% | 8.5% | 12.4% |
| | Other/No Identified Risk | 2,250 | 134 | 24 | 1,776 | 474 | 278 | 17.9% | 21.1% | 15.7% | 7.8% | 8.1% | 6.3% |
| | <i>Transgender:</i> | | | | | | | | | | | | |
| | Sexual contact | 438 | 32 | 6 | 355 | 83 | 75 | 18.8% | 18.9% | 21.1% | 2.0% | 1.4% | 1.7% |
| | Injection drug use | <5 | 0 | 0 | <5 | <5 | <5 | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Sexual contact & IDU | 26 | <5 | 0 | 20 | 6 | <5 | 0.0% | 23.1% | 0.0% | 0.0% | 0.1% | 0.0% |
| | Other/No Identified Risk | 20 | <5 | 0 | 15 | 5 | 5 | 0.0% | 25.0% | 33.3% | 0.0% | 0.1% | 0.1% |
| 6 | Geographic Unit (Determined by jurisdiction) | | | | | | | | | | | | |
| | Fulton County | 14,221 | 556 | 93 | 11,832 | 2,389 | 1,979 | 16.7% | 16.8% | 16.7% | 30.4% | 41.0% | 44.9% |
| | DeKalb County | 8,179 | 355 | 63 | 6,771 | 1,408 | 1,000 | 17.7% | 17.2% | 14.8% | 20.6% | 24.2% | 22.7% |
| | Cobb County | 3,008 | 183 | 35 | 2,537 | 471 | 357 | 19.1% | 15.7% | 14.1% | 11.4% | 8.1% | 8.1% |
| | Gwinnett County | 2,819 | 213 | 38 | 2,354 | 465 | 286 | 17.8% | 16.5% | 12.1% | 12.4% | 8.0% | 6.5% |
| | Clayton County | 2,153 | 139 | 31 | 1,753 | 400 | 297 | 22.3% | 18.6% | 16.9% | 10.1% | 6.9% | 6.7% |
| 7 | TARGET POPULATIONS (Determined by jurisdiction) | | | | | | | | | | | | |
| | Black Males 25-34 years old | 5,655 | 965 | 183 | 4,586 | 1,069 | 1,131 | 19.0% | 18.9% | 24.7% | 59.8% | 18.4% | 25.7% |
| | Black Females 25-34 years old | 656 | 226 | 46 | 508 | 148 | 138 | 20.4% | 22.6% | 27.2% | 15.0% | 2.5% | 3.1% |
| | Transgender 25-34 years old | 229 | 37 | 6 | 172 | 57 | 48 | 16.2% | 24.9% | 27.9% | 2.0% | 1.0% | 1.1% |

Calculation Table 2B: Subpopulation Analyses – RWHAP Data

Jurisdiction Name: Atlanta EMA

| A | B Category | Totals | | Numerical Inputs | | Auto-Calculated Percentages | | | |
|---|--|--------------------|-----------|------------------|----------------------------------|-----------------------------|--------------------------------|-------------------|--------------------------------|
| | | # of RWHAP Clients | # In Care | # Unmet Need | # In Care Not Virally Suppressed | Within Categories | | Across Categories | |
| | | | | | | % Unmet Need | % In Care Not Virally Suppress | % Unmet Need | % In Care Not Virally Suppress |
| | | C | D | E | F | G | H | I | J |
| 1 | Total | 18,094 | 16,678 | 1,416 | 2,794 | 7.8% | 16.8% | 100.0% | 100.0% |
| 2 | CURRENT GENDER IDENTITY | | | | | | | | |
| | Male | 13,870 | 12,799 | 1,071 | 2,135 | 7.7% | 16.7% | 75.6% | 76.4% |
| | Female | 3,917 | 3,632 | 285 | 483 | 7.3% | 13.3% | 20.1% | 17.3% |
| | Transgender | 305 | 245 | 60 | 45 | 19.7% | 18.4% | 4.2% | 1.6% |
| 3 | RACE/ETHNICITY | | | | | | | | |
| | American Indian/Alaska Native Non-Hispanic | 14 | 13 | 1 | 4 | 7.1% | 30.8% | 0.1% | 0.1% |
| | Asian Non-Hispanic | 131 | 125 | 6 | 7 | 4.6% | 5.6% | 0.4% | 0.3% |
| | Black/African American Non-Hispanic | 14,116 | 13,061 | 1,055 | 2,279 | 7.5% | 17.4% | 74.5% | 81.6% |
| | Hispanic/Latino | 1,297 | 1,211 | 86 | 122 | 6.6% | 10.1% | 6.1% | 4.4% |
| | Native Hawaiian/Pacific Islander Non-Hispanic | 12 | 12 | 0 | 1 | 0.0% | 8.3% | 0.0% | 0.0% |
| | White Non-Hispanic | 2,111 | 1,859 | 252 | 183 | 11.9% | 9.8% | 17.8% | 6.5% |
| | Multiple races Non-Hispanic | 398 | 352 | 46 | 61 | 11.6% | 17.3% | 3.2% | 2.2% |
| | Unknown | 15 | 4 | 11 | 3 | 73.3% | 75.0% | 0.8% | 0.1% |
| 4 | AGE | | | | | | | | |
| | <13 | 272 | 263 | 9 | 8 | 3.3% | 3.0% | 0.6% | 0.3% |
| | 13-24 | 1,031 | 940 | 91 | 195 | 8.8% | 20.7% | 6.4% | 7.0% |
| | 25-34 | 4,819 | 4,524 | 295 | 1,081 | 6.1% | 23.9% | 20.8% | 38.7% |
| | 35-44 | 3,971 | 3,678 | 293 | 655 | 7.4% | 17.8% | 20.7% | 23.4% |
| | 45-54 | 3,937 | 3,581 | 356 | 402 | 9.0% | 11.2% | 25.1% | 14.4% |
| | 55-64 | 3,156 | 2,861 | 295 | 219 | 9.3% | 7.7% | 20.8% | 7.8% |
| | 65+ | 907 | 811 | 96 | 41 | 10.6% | 5.1% | 6.8% | 1.5% |
| 5 | TRANSMISSION CATEGORY/HIV RISK FACTOR | | | | | | | | |
| | Male: | | | | | | | | |
| | Male to male sexual contact | 10,674 | 9,733 | 941 | 1,700 | 8.8% | 17.5% | 66.5% | 60.8% |
| | Injection drug use (IDU) | 420 | 196 | 224 | 23 | 53.3% | 11.7% | 15.8% | 0.8% |
| | Male to male sexual contact & IDU | 205 | 177 | 28 | 34 | 13.7% | 19.2% | 2.0% | 1.2% |
| | Heterosexual contact | 3,046 | 2,292 | 754 | 300 | 24.8% | 13.1% | 53.2% | 10.7% |
| | Other/No Identified Risk | 457 | 401 | 56 | 45 | 12.3% | 11.2% | 4.0% | 1.6% |
| | Female: | | | | | | | | |
| | Injection drug use (IDU) | 93 | 86 | 7 | 11 | 7.5% | 12.8% | 0.5% | 0.4% |
| | Heterosexual contact | 3,434 | 3,168 | 266 | 417 | 7.7% | 13.2% | 18.8% | 14.9% |
| | Other/No Identified Risk | 432 | 378 | 54 | 2 | 12.5% | 0.5% | 3.8% | 0.1% |
| | Transgender: | | | | | | | | |
| | Sexual contact | 247 | 232 | 15 | 43 | 6.1% | 18.5% | 1.1% | 1.5% |
| | Injection drug use (IDU) | 4 | 1 | 3 | 0 | 75.0% | 0.0% | 0.2% | 0.0% |
| | Sexual contact & IDU | 3 | 2 | 1 | 1 | 33.3% | 50.0% | 0.1% | 0.0% |
| | Other/No Identified Risk | 12 | 10 | 2 | 1 | 16.7% | 10.0% | 0.1% | 0.0% |
| 6 | GEOGRAPHIC UNIT (Determined by jurisdiction) | | | | | | | | |
| | Fulton County | 8,051 | 7,299 | 752 | 1,299 | 9.3% | 17.8% | 53.1% | 46.5% |
| | DeKalb County | 4,092 | 3,800 | 292 | 584 | 7.1% | 15.4% | 20.6% | 20.9% |
| | Cobb County | 1,304 | 1,190 | 114 | 163 | 8.7% | 13.7% | 8.1% | 5.8% |
| | Gwinnett County | 1,567 | 1,465 | 102 | 179 | 6.5% | 12.2% | 7.2% | 6.4% |
| | Clayton County | 1,114 | 1,017 | 97 | 157 | 8.7% | 15.4% | 6.9% | 5.6% |
| 7 | TARGET POPULATIONS (Determined by jurisdiction) | | | | | | | | |
| | Black Males 25-34 years old | 3,637 | 3,258 | 379 | 826 | 10.4% | 25.4% | 26.8% | 29.6% |
| | Black Females 25-34 years old | 422 | 358 | 64 | 83 | 15.2% | 23.2% | 4.5% | 3.0% |
| | Transgender 25-34 years old | 137 | 101 | 36 | 44 | 26.3% | 43.6% | 2.5% | 1.6% |